



**DOCUMENT DE TREBALL**

**XREAP2013-09**

**Testing extreme value copulas  
to estimate the quantile**

Zuhair Bahraoui (RFA-IREA, XREAP)  
Catalina Bolancé (RFA-IREA, XREAP)  
Ana M. Pérez-Marín (RFA-IREA, XREAP)

# Testing extreme value copulas to estimate the quantile

Zuhair Bahraoui, Catalina Bolancé and Ana M. Pérez-Marín

Department of Econometrics, Riskcenter-IREA, University of Barcelona,  
Av. Diagonal, 690, 08034 Barcelona, Spain

November 29, 2013

## Abstract

Testing whether or not data could have been generated by a family of extreme value copulas is difficult. We generalize a test and we prove that it can be applied whatever the alternative hypothesis. We also study the effect of using different extreme value copulas in the context of risk estimation. To measure the risk we use a quantile. Our results have been motivated by a bivariate sample of losses from a real database of auto insurance claims. Methods are implemented in R.

**Keywords:** Extreme value copula, Extreme value distributions, Quantile

## 1 Introduction

Let  $S$  be the sum of  $k$  dependent random variables  $(X_1, \dots, X_k)'$ , i.e.  $S = X_1 + \dots + X_k$ . The distribution of  $S$  depends on the multivariate distribution, i.e. the relationship between random variables  $X_j$ ,  $j = 1, \dots, k$  (see [33] for a review about the construction of methods of multivariate distributions). Analyzing the distribution of  $S$  is essential in finance and insurance

for quantifying the risk of loss. In this regard, there are studies that have analyzed the stochastic behavior of the sum of dependent risks and the way in which the dependency between these marginal risks may affect the total risk of loss (see [12], [25], [11], [9] and [21]). The aim of this paper is to analyze the test proposed by Kojadinovic et al. in [26] that allows to test whether or not our data have been generated by an extreme value copula. We conclude that weak convergence of the test statistic is true for any of the alternative hypothesis. Using a real data base, we have analyzed how the error in the selection of the copula can affect the risk estimate. Throughout this paper we simplify the notation for the bivariate case.

As noted by Fisher in [14], copulas are interesting for statisticians due to two basic reasons: firstly, because of their application in the study of nonparametric measures of dependence and, secondly, as a starting point for constructing multivariate distributions representing dependency structures, even when the marginals follow extreme value distributions (EVD). Also, we know that the choice of the marginals may be crucial to model the dependency behavior of variables. According to Nelsen (see [27]), in the coupling of the joint distribution with marginals, the copula captures the link between the two behaviors. The relationship between the joint distribution and the marginals is established in the fundamental theorem proposed by Sklar in [32]. This theorem shows that a bivariate cumulative distribution function (CDF)  $H$  of a random vector of variables  $(X_1, X_2)$  with marginal cumulative distribution functions (CDFs)  $F_1$  and  $F_2$  includes a copula  $C$  according to the following expression:

$$H(x_1, x_2) = C(F_1(x_1), F_2(x_2)) \forall x_1, x_2 \in \mathbb{R}. \quad (1)$$

Due to the fact that the joint distribution (and therefore the dependency structure) is unknown, specific tests for choosing the best copula are necessary. This has been the motivation for developing tests for the adequacy of copulas. It is worth mentioning the paper by Genest and Rivest (see [15]) on inference for bivariate Archimedean copulas, the test proposed in [31] on the positive quadrant dependence hypothesis and, finally, the test of symmetry in bivariate

copulas introduced in [29].

Regarding the inference for extreme value copulas, we can mention the test proposed in [18] based on a Cramér-von Mises statistic and the test analyzed in [19] based on an  $U$ -statistic. However, Kojadinovic et al. in [26] uses the *max – stable* property to test the adequacy of an extreme value copula that is also based on the Cramér-von Mises statistic. In our study we find a similar result for the bivariate case and we obtain the weak convergence of the statistic proposed in the general case.

In section 2, first, we present our main result and, second, we describe three examples of copulas which are extreme value copulas: Gumbel, Galambos and Hustler-Reiss. In section 3 we describe a real database of auto insurance claims which we use in the empirical application. In section 4 we report the results of our empirical study, firstly we apply the test described in section 2 and, secondly, we calculate the quantile using different extreme value copulas and comparing these results with those obtained when using a widely known non extreme value copula, such as a Gaussian copula. We use two alternative marginal distributions and we compare them: the log-normal, that is a EVD Type I (Gumbel), and the Champernowne distribution, which converges to a Pareto in the tail and therefore is an EVD Type II (Frechet). We also remark that the Champernowne distribution looks more like a log-normal near 0. We conclude in section 5.

## 2 Test for extreme value copulas

A copula is *max – stable* if for every positive real number  $r$  and all  $u_1, u_2$  in  $[0, 1]$ ,  $C(u_1, u_2) = C^r(u_1^{1/r}, u_2^{1/r})$ . Then we formulate the null hypothesis and its alternative as:

$$\begin{cases} H_0^r : C(u_1, u_2) = C^r(u_1^{1/r}, u_2^{1/r}), & \forall u_1, u_2 \in [0, 1], \forall r > 0 \\ H_1^r : C(u_1, u_2) \neq C^r(u_1^{1/r}, u_2^{1/r}), & \exists u_1, u_2 \in [0, 1], \exists r > 0 \end{cases}.$$

Specifically we need to test the *max – stable* hypothesis,

$$\begin{cases} H_0 : \bigcap_{r>0} H_0^r \\ H_1 : \bigcup_{r>0} H_1^r, \end{cases}$$

in practice we only can test  $H_0^r$  for some values of  $r$ .

Let  $(X_{i1}, X_{i2}), \forall i = 1, \dots, n$  be a bivariate sample of  $n$  independent and identically distributed observations. We consider the functions:

$$\begin{aligned} \mathbb{D}_n^r(u_1, u_2) &= \sqrt{n} \left( C_n(u_1, u_2) - C_n^r(u_1^{1/r}, u_2^{1/r}) \right) \\ \mathbb{D}^r(u_1, u_2) &= \sqrt{n} \left( C(u_1, u_2) - C^r(u_1^{1/r}, u_2^{1/r}) \right), \end{aligned}$$

where  $C_n(u_1, u_2)$  is the empirical copula defined as:

$$C_n(u_1, u_2) = \frac{1}{n} \sum_{i=1}^n \mathbf{I}(F_{1n}(X_{i1}) \leq u_1, F_{2n}(X_{i2}) \leq u_2), \quad u_1, u_2 \in [0, 1]^2, \quad (2)$$

where  $F_{1n}$  and  $F_{2n}$  are empirical marginal distributions. To test the *max – stable* property we need to analyze if we can use  $\mathbb{D}_n^r(u_1, u_2)$  as an estimator of  $\mathbb{D}^r(u_1, u_2)$ . Then we find the convergence to a Gaussian process of the difference  $\mathbb{D}_n^r(u_1, u_2) - \mathbb{D}^r(u_1, u_2)$ .

We use the result by Fermanian et al. in [13] for the weak convergence of the empirical copula  $C_n$  to a Gaussian process  $\mathbb{G}$  in the space of all bounded real-valued functions on  $[0, 1]^2$ , i.e.  $l^\infty([0, 1]^2)$ , which is expressed as follows:

$$\sqrt{n} (C_n(u_1, u_2) - C(u_1, u_2)) \rightsquigarrow \mathbb{G}(u_1, u_2) \quad (3)$$

$$= \mathbb{B}(u_1, u_2) - \partial_1 C(u_1, u_2) \mathbb{B}(u_1, 1) - \partial_2 C(u_1, u_2) \mathbb{B}(1, u_2), \quad (4)$$

where  $\rightsquigarrow$  indicates weak convergence and  $\mathbb{B}$  is a Brownian bridge on  $[0, 1]^2$  with covariance functions:

$$E[\mathbb{B}(u_1, u_2) \mathbb{B}(u'_1, u'_2)] = C(u_1 \wedge u'_1, u_2 \wedge u'_2) - C(u_1, u_2) C(u'_1, u'_2),$$

where  $\wedge$  is the minimum.

**Proposition 1** *If the partial derivatives of a copula  $C(u_1, u_2)$  are continuous then for any  $r > 0$  we have:*

$$\mathbb{D}_n^r(u_1, u_2) - \mathbb{D}^r(u_1, u_2) \rightsquigarrow \mathbb{C}^r(u_1, u_2) = \mathbb{G}(u_1, u_2) - rC^{r-1}(u_1^{1/r}, u_2^{1/r})\mathbb{G}(u_1^{1/r}, u_2^{1/r}), \quad (5)$$

in  $l^\infty([0, 1]^2)$ . Result in (5) is true under  $H_0^r$  and  $H_1^r$ .

Kojadinovic et al. (see [26]) proved the weak convergence under  $H_0^r$  of  $\mathbb{D}_n^r(u_1, u_2)$  towards the same process defined in Proposition 1 but with opposite sign. We have proved weak convergence of the difference  $\mathbb{D}_n^r(u_1, u_2) - \mathbb{D}^r(u_1, u_2)$  that is true under  $H_0^r$  and  $H_1^r$ .

**Proof 1** *In order to prove the result in Proposition 1 we consider the function:*

$$\Gamma : C(u_1, u_2) \longrightarrow C^r(u_1^{1/r}, u_2^{1/r}), r > 0.$$

$\Gamma$  is a differentiable function as proposed by Hadamard (see [30]). We use the Delta functional method to analyze the weak convergence of  $\Gamma(C(u_1, u_2)) = C^r(u_1^{1/r}, u_2^{1/r})$ . To find the derivative of  $C^r(u_1^{1/r}, u_2^{1/r})$  we consider the function:

$$\begin{aligned} h(t) &= \Gamma\left((C + t\Delta)(u_1^{1/r}, u_2^{1/r})\right) - \Gamma\left(C(u_1^{1/r}, u_2^{1/r})\right) \\ &= (C + t\Delta)^r(u_1^{1/r}, u_2^{1/r}) - C^r(u_1^{1/r}, u_2^{1/r}), \end{aligned}$$

where  $t\Delta$  is a function representing a difference. Then we calculate  $\Gamma'$  as the derivative of function  $h$  at  $t = 0$ . Using the expression of the Pascal triangle:

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k,$$

we obtain that:

$$\begin{aligned}
h(t) &= \sum_{k=0}^r \binom{r}{k} C^{r-k}(u_1^{1/r}, u_2^{1/r}) t^k \Delta^k(u_1^{1/r}, u_2^{1/r}) - C^r(u_1^{1/r}, u_2^{1/r}) \\
&= \binom{r}{0} C^r(u_1^{1/r}, u_2^{1/r}) + \binom{r}{1} C^r(u_1^{1/r}, u_2^{1/r}) t \Delta(u_1^{1/r}, u_2^{1/r}) \\
&\quad + \sum_{k=2}^r \binom{r}{k} C^{r-k}(u_1^{1/r}, u_2^{1/r}) t^k \Delta^k(u_1^{1/r}, u_2^{1/r}) - C^r(u_1^{1/r}, u_2^{1/r})
\end{aligned}$$

If we differentiate at  $t = 0$ , we obtain:

$$\frac{\partial h(t)}{\partial t} \Big|_{t=0} = \Gamma'(\Delta) = r C^{r-1}(u_1^{1/r}, u_2^{1/r}) \Delta(u_1^{1/r}, u_2^{1/r}),$$

where  $\Gamma'(\Delta)$  is the first derivative of function  $\Gamma(C(u_1, u_2)) = C^r(u_1^{1/r}, u_2^{1/r})$  with respect to function  $t$  evaluated at  $t = 0$ . The result in Proposition 1 is archived observing that:

$$\mathbb{D}_n^r(u, v) - \mathbb{D}^r(u, v) = \sqrt{n} \left( (C_n(u_1, u_2) - C(u_1, u_2)) - (C_n^r(u_1^{1/r}, u_2^{1/r}) - C^r(u_1^{1/r}, u_2^{1/r})) \right),$$

using the convergence of the empirical copula given by Fermanian et al. (see [13]) we obtain:

$$\sqrt{n} (C_n(u_1, u_2) - C(u_1, u_2)) \rightsquigarrow \mathbb{G}(u_1, u_2),$$

and, finally, applying the Delta functional method, we obtain:

$$\sqrt{n} \left( C_n^r(u_1^{1/r}, u_2^{1/r}) - C^r(u_1^{1/r}, u_2^{1/r}) \right) \rightsquigarrow \Gamma'(\mathbb{G}(u_1, u_2))$$

Under the hypothesis  $H_0$  we have that  $\mathbb{D}^r(u_1, u_2) = 0$  and in this case  $\mathbb{D}_n^r(u_1, u_2)$  weakly converges to process (5).

For hypothesis testing given a fixed  $r$ , we use a Cramér-von Mises statistic:

$$S_n^r = \int_0^1 \int_0^1 (\mathbb{D}_n^r(u_1, u_2))^2 du_1 du_2, \tag{6}$$

As propose by Kojadinovic et al. in [26] for a range of values of  $r, r_1, \dots, r_p$ , the following statistic can be considered:

$$S_n^{r_1, \dots, r_p} = \sum_{i=1}^p S_n^{r_i}. \quad (7)$$

To calculate the critical values we use the method proposed by Van der Vaart in [34], consisting on generating independent copies of  $S_n^r$ . The procedure is as follows:

1. Generating  $N$  independent copies of  $\mathbb{D}_n^r, \mathbb{D}_n^{r,(1)}, \dots, \mathbb{D}_n^{r,(N)}$ , such that

$$(\mathbb{D}_n^r, \mathbb{D}_n^{r,(1)}, \dots, \mathbb{D}_n^{r,(N)}) \rightsquigarrow (\mathbb{D}^r, \mathbb{D}^{r,(1)}, \dots, \mathbb{D}^{r,(N)}),$$

where  $\mathbb{D}^{r,(1)}, \dots, \mathbb{D}^{r,(N)}$  are independent copies of  $\mathbb{D}^r$ .

2. Calculating  $(S_n^{r,(1)}, S_n^{r,(2)}, \dots, S_n^{r,(N)})$  such that:

$$(S_n^r, S_n^{r,(1)}, S_n^{r,(2)}, \dots, S_n^{r,(N)}) \rightsquigarrow (S^r, S^{r,(1)}, S^{r,(2)}, \dots, S^{r,(N)}),$$

where  $(S^{r,(1)}, S^{r,(2)}, \dots, S^{r,(N)})$  are independent copies of  $S^r$ .

3. Obtaining the p-value as:

$$\frac{1}{N} \sum_{k=1}^N \mathbf{I}(S_n^{r,(k)} \geq S_n^r).$$

The Van der Vaart method is implemented in the software R with the function `evTestC()`.

## 2.1 Three examples of extreme value copulas

In the application presented in the next section, we compare three examples of extreme value copulas: Gumbel, Galambos and Hustler-Reiss, which are described in this section.

The functional form of Gumbel copula (see [23]) is given by:

$$C_\theta(u_1, u_2) = \exp\left(-\left[(-\ln(u_1))^\theta + (-\ln(u_2))^\theta\right]^{1/\theta}\right),$$



where  $\theta \in [1, +\infty)$  is the parameter controlling the dependency structure. Note that, the dependence is perfect when  $\theta \rightarrow \infty$ , while independence corresponds to the case when  $\theta = 1$ . For the Gumbel copula, it is well known that lower tail dependence is  $\lambda_L = 0$  and upper tail dependence is  $\lambda_U = 2 - 2^{\frac{1}{\theta}}$ , i.e. the Gumbel copula has upper tail dependence.

The Galambos copula was proposed by Galambos [16] and has the following form:

$$C(u_1, u_2) = u_1 u_2 \exp \left( \left[ (-\ln(u_1))^{-\theta} + (-\ln(u_2))^{-\theta} \right]^{-1/\theta} \right),$$

where the range of  $\theta$  is  $[0, \infty)$  and the upper tail dependence is  $\lambda_U = 2 - 2^{\frac{1}{\theta}}$ .

Another example of extreme value copulas is the Hüstler-Reiss copula that was developed by Hüstler and Reiss in [24]. Its functional form is given by:

$$C(u_1, u_2) = \exp \left( -\hat{u}_1 \Phi \left[ \frac{1}{\theta} + \frac{1}{2} \theta \ln \left( \frac{\hat{u}_1}{\hat{u}_2} \right) \right] - \hat{u}_2 \Phi \left[ \frac{1}{\theta} + \frac{1}{2} \theta \ln \left( \frac{\hat{u}_2}{\hat{u}_1} \right) \right] \right),$$

where the range of  $\theta$  is  $[0, \infty)$  and  $\Phi$  is cdf of the standard Gaussian,  $\hat{u}_1 = -\ln(u_1)$  and  $\hat{u}_2 = -\ln(u_2)$ .

### 3 The data

Our example is motivated by a problem in the context of insurance. When there is an accident, the total cost to be paid to a policyholder is the sum of two components: (1) the material damage and (2) the bodily injury compensation. The insurance company is interested in evaluating the risk of a given claim exceeding a certain amount. So the right-tail quantiles are important to understand the risk that an accident claim is very costly.

We work with a random sample of 518 observations containing two types of costs: **Cost1**, representing property damages and compensation of the loss, and **Cost2**, which corresponds to the expenses related to medical care and hospitalization. In general, cost of bodily injuries is covered by the National Institute of Health, however the insured has to bear the cost of some

medical expenses and rehabilitation, technical assistance, drugs, etc . . . , including compensation for pain, suffering and loss of income.

Bodily injury claims typically take years to be settled. Nevertheless, all the claims in our sample were already settled in 2002, according to the company, (see [9]). Finally, we should mention that the compensation may include payments to third parties that have been damaged in one way or another.

In Table 1 we summarize the descriptive statistics of the sample for **Cost1**, **Cost2** and the Total Cost. The variables **Cost1** and **Cost2** are always positive, and there is a big difference between the corresponding maximum and minimum values. Furthermore, we observe that variables described in Table 1 have right skewness. In Figure 1 we show the histograms where we represent the shape of the distribution associated with the variables **Cost1** and **Cost2**.

Cost	Average	Std.Dev.	Skewness	Min	Max	Median
<b>Cost1</b>	182.80	686.80	15.65	13.00	137900.00	677.00
<b>Cost2</b>	283.92	863.17	8.04	1.00	11855.00	88.00
<b>Total Cost</b>	211.20	752.00	15.27	32.00	149800.00	789.00

Table 1: Descriptive statistics.

The K-Plot (related to Kendall Plot, see [17]) is a visual method that allows us to analyze in a descriptive way if our bivariate data have been generated by an extreme value copula. In Figure 2 we show the K-Plot, that compare the order in real data ( $H$ , pseudo-observations generated by the bivariate empirical distribution) with the order supposing that the data have been generated by the independence copula ( $W$ , expected pseudo-observations). We note that costs have a positive association (as shown in the values of the K-plot above the diagonal, which indicates independence). Almost all points are between the straight line and the boundary curve indicating perfect positive dependence. It seems that according to the increasing values of  $W$ ,




Figure 1: Histograms.

the data is closed to the case of a perfect positive dependence. This means that the higher the severity of the claim, the higher is the correlation between the medical costs and compensation.

## 4 Results

In this section we report the results that we have obtained in an empirical application of the methodology that we have presented. For estimating the total risk of loss, our goal is to determine the dependency structure between the data corresponding to a sample of claims provided by a major insurance company which operates in Spain. For testing if our data are generated by an extreme value copula we calculate the value of the Cramér-Von Mises statistic in (7), with  $r = 3, 4, 5$ . We have estimated the significance level of the test statistic using the method proposed by Van der Vaart in [34]. In total, we generated 1000 independent copies of  $S_n^{3,4,5}$ . The results are shown in Table 2 and allow us to conclude that the analyzed bivariate data are generated by an extreme value copula.

We estimate the parameters of the tree extreme value copulas described in section 2.1:




Figure 2: K-Plot associated to copula of (**Cost1**, **Cost2**).

Statistic	Estimation	p-value
$S_n^{3,4,5}$	0.2680	0.1773

Table 2: Cramér-Von Mises statistics.

Gumbel, Galambos and Hüsler-Reiss. In Table 3 we show the estimated parameters for these three copulas together with those obtained for the Gaussian and the t-Student copulas. To estimate the dependence parameter of Gaussian, Gumbel, Galambos and Hüsler-Reiss copulas we have used the inversion of Kendall's tau method (Itau). To estimate dependence parameter and degree of freedom of t-Student copula we have used maximum likelihood estimation (MLE). For selecting the copula we have used two known statistical information criteria, the Akaike Information Criteria  $AIC = -2 \log L(\theta, u_1, u_2) + 2k$  and the Bayesian Information Criteria  $BIC = -2 \log L(\theta, u, v) + \log(n)k$ , where  $k$  is the number of parameters to be estimated and  $L$  the value of the likelihood function. Also, we have used the copula information criteria  $CIC$

propose by Gronneberg and Hjort [20]. The corresponding results are presented in Table 3. We observe that AIC and CIC values are very similar and we conclude that the Gumbel copula is the one that best reflects the dependence structure of our data.

	Gaussian	t-Student	Gumbel	Galambos	Hustler-Reiss
Parameters	0.6193	0.5981 d.f.= 9.6442	1.7397	1.0208	1.4946
AIC	-212.3695	-217.0000	-246.3839	-243.3305	-237.8542
BIC	-208.1195	-208.5000	-242.1339	-239.0805	-233.6042
CIC	-208.1195	-208.5000	-242.1339	-239.0805	-233.6042
Kendall Tau=0.4252					

Table 3: *Copula estimation results.*

Once the dependency structure is estimated, the next step is to estimate the marginal distribution functions. Considering the histograms in Figure 1, we proposed to use two EVD. Namely, we compare the log-normal distribution, that is a EVD Type I (Gumbel), with the modified Champernowne distribution<sup>1</sup>, which converges to a Pareto in the tail and therefore it is an EVD Type II (Frechet), besides the Champernowe distribution looks more like a log-normal near 0. The Champernowne distribution have been analyzed in the context of semiparametric estimation of EVD (see, for example, [3], [6], [4] and [1]). Furthermore, this distribution has

---

<sup>1</sup>The cdf of the modified Champernowne distribution is:

$$F(x) = \frac{(x+c)^\delta - c^\delta}{(x+c)^\delta + (H+c)^\delta - 2c^\delta}, \quad x \geq 0,$$

with parameters  $\delta > 0$ ,  $H > 0$  and  $c \geq 0$ . The estimation of transformation parameters is performed using the maximum likelihood method described in [10].

been used to model the operational risk, where the loss distribution is similar to those analyzed in this work (see [7], [28], [8] and [22]).

In Table 4 we show the results for the maximum likelihood estimation of the marginal distributions. We can see that for Cost1 Log-normal and Champernowne have similar AIC and BIC, however for Cost2 Champernowne provides lower values of AIC and BIC.

	Log-normal	Champernowne
<b>CDFs</b>	$\int_{-\infty}^{\log x} \frac{1}{\sqrt{2\pi\sigma^2}} e^{-\frac{(t-\mu)^2}{2\sigma^2}} dt, \quad x \geq 0$	$\frac{(x+c)^\delta - c^\delta}{(x+c)^\delta + (H+c)^\delta - 2c^\delta}, \quad x \geq 0$
$X_1=\mathbf{Cost1}$	$\mu = 6.4437, \sigma = 1.3349,$ $AIC = 8448.8950$ and $BIC = 8452.7190$	$\delta = 1.3271, H = 677, c = 0$ $AIC = 8448.163$ and $BIC = 8453.899$
$X_2=\mathbf{Cost2}$	$\mu = 4.3755, \sigma = 1.5189,$ $AIC = 9425.1340$ and $BIC = 9428.9590$	$\delta = 1.1622, H = 88, c = 0$ $AIC = 6443.7150$ and $BIC = 6449.4510$

Table 4: Maximum likelihood estimation of marginal distributions.

For evaluating the risk of total loss we estimate the quantile at confidence level  $\alpha$  ( $q_\alpha$ ). We use Monte Carlo simulation method, the procedure is as follows:

1. We generate the pseudo-random sample  $(\hat{U}_{1i}, \hat{U}_{2i}), \forall i = 1, \dots, r$ , from the bivariate copulas whose estimate parameters are shown in Table 3.
2. Using the inverse of marginal CDFs we calculate  $(\hat{X}_{1i} = F_1^{-1}(\hat{U}_{1i}), \hat{X}_{2i} = F_2^{-1}(\hat{U}_{2i})), \forall i = 1, \dots, l$ , where the sample volume  $l$  is large.
3. We calculate  $\hat{S}_i = \hat{X}_{1i} + \hat{X}_{2i}, \forall i = 1, \dots, l$  and we estimate  $q_\alpha(S)$  empirically from the generated pseudo-sample. We generate  $l = 10,000$  samples.

In Table 5 we show the results of the estimations of  $q_\alpha$  for  $\alpha = 0.95, 0.99, 0.995, 0.999$ . On the first row of Table 5 we provide the empirical values of the  $q_\alpha(S)$  calculated with the 518

observations in the sample of the aggregate loss  $S = X_1 + X_2$  for different confidence levels  $\alpha$ , below we show the same  $q_\alpha(S)$  that have been estimated by the Monte Carlo simulation method for the five copulas considered here. We remark the importance of using an extreme value copula and extreme value marginal distributions when the data indicate this behavior.

$\alpha$	0.95	0.99	0.995	0.999
Empirical	7905.6000	24821.1400	28420.8700	92112.9300
	Log-normal			
Normal	6635.427	15628.804	20762.765	39733.894
t-Student	6547.524	16638.175	22521.175	39547.101
Gumbel	6432.017	15464.969	22011.382	40001.210
Galambos	6429.16	15471.40	22066.00	39925.67
Hustler-Reiss	6421.028	15465.126	22122.110	39841.559
	Champernowne			
Normal	7237.591	25504.175	38682.444	110082.261
t-Student	7302.165	25740.933	42223.504	117447.015
Gumbel	7264.831	23944.798	41461.743	119401.409
Galambos	7253.166	24056.946	41409.717	118982.012
Hustler-Reiss	7241.504	24103.038	41107.537	118539.744

Table 5: Quantiles of total loss.

In Table 5 we show that by using log-normal marginal distributions, the estimated quantile is below the empirical quantile for the five copulas considered here. Therefore, risk is underestimated. We also remark that the selected copula does not have much influence on the risk estimation. However, if we use Champernowne marginal distributions, which has a heavier right tail than log-normal distribution, the influence of the selected copula is not significant at

lower confidence levels (0.95 and 0.99) but it is significant for extreme confidence levels (0.995 and 0.999). As indicated by the goodness of fit measures for our data, the best selection is the Gumbel copula with Champernowne marginal distributions.

## 5 Conclusions

The test we have introduced for the adequacy of extreme value copulas lets us to determine the suitable copula, especially when the data have extreme values.

In our empirical application, the K-Plot identified a positive and increasing dependence between variables related to automobile insurance claims, and the new test we presented for extreme value copulas confirms that, in our case, we should use an extreme value copula.

In the selection of the marginal distribution we have considered a modified Champernowne distribution. It provides interesting results, due to its similarity to the log-normal distribution for low values of the variable and, additionally, due to its convergence to a Pareto distribution in the right tail.

When the marginal distributions have heavy right tail, as is the Champernowne distribution, and if the aim is to estimate extreme quantiles, the results show the importance of testing the adequacy of the data to an extreme value copula.

## References

- [1] R. Alemany, C. Bolancé and M. Guillén. A nonparametric approach to calculating value-at-risk. *Insurance: Mathematics and Economics*, 52, 255–262, 2013.
- [2] K. Aas, C. Czado, A. Frigessi and H. Bakken. Pair-copula constructions of multiple dependence. *Insurance: Mathematics and Economics*, 44, 2, 182–198, 2009.



- [3] C. Bolancé. Optimal inverse Beta (3,3) Transformation in kernel density estimation. *SORT - Statistics and Operations Research Transactions*, 34, 223–238, 2010.
- [4] C. Bolancé, R. Alemany and M. Guillén. Sistema público de dependencia y reducción del coste individual de cuidados a lo largo de la vida. *Revista de Economía Aplicada*, 21, 97–117, 2013.
- [5] C. Bolancé, M. Ayuso and M. Guillén. A nonparametric approach to analysing operational risk with an application to insurance fraud. *The Journal of Operational Risk*, 7, 57–75, 2012.
- [6] C. Bolancé, M. Guillén and J.P. Nielsen. Inverse Beta transformation in kernel density estimation. *Statistics & Probability Letters*, 78, 1757–1764, 2008.
- [7] C. Bolancé, M. Guillén, J.P. Nielsen and J. Gustafsson. *Quantitative Operational Risk Models*, Chapman and Gall, CRC finance series, New York, 2012.
- [8] C. Bolancé, M. Guillén, J.P. Nielsen and J. Gustafsson. Adding prior knowledge to quantitative operational risk models. *Journal of Operational Risk*, 8, 17–32, 2013.
- [9] C. Bolancé, M. Guillén, E. Pelican and R. Vernic. Skewed bivariate models and nonparametric estimation for CTE risk measure. *Insurance: Mathematics and Economics*, 43, 386–393, 2008.
- [10] T. Buch-Larsen, M. Guillén, J.P. Nielsen and C. Bolancé. Kernel density estimation for heavy-tailed distributions using the Champernowne transformation. *Statistics*, 39, 503–516, 2005.
- [11] H. Cossette, P. Gaillardetz, E. Marceau and J. Rioux. On two dependent individual risk models. *Biometrika*, 30, 153–166, 2002.

- [12] M. Denuit, C. Genest and E. Marceau. Stochastic bounds on sums of dependent risks. *Insurance: Mathematics and Economics*, 25, 1, 85–104, 1999.
- [13] J.D. Fermanian, D. Radulović and M.H. Wegkamp. Weak convergence of empirical copula processes. *Bernoulli*, 10, 847–860, 2004.
- [14] N. I. Fisher. *Encyclopedia of Statistical Science*, S. Kotz, N. L. Jhonson, C. B. Read, Editors, New York, 2000.
- [15] C. Genest and L.-P. Rivest. Statistical inference procedures for bivariate archimedean copulas. *Journal of the American Statistical Association*, 88, 1034–1043, 1993.
- [16] J. Galambos. Order statistics of samples from multivariate distributions. *Journal of the American Statistical Association*, 70, 674–680, 1975.
- [17] C. Genest and J.C. Boies. Detecting dependence with Kendall plots. *Journal of the American Statistical Association*, 57, 4, 275–284, 2003.
- [18] C. Genest, I. Kojadinovic, J. Neslehová and J. Yan. A goodness-of-fit test for bivariate extreme-value copulas. *Bernoulli*, 17, 253–275, 2011.
- [19] B. Ghorbal, C. Genest and J. J. Neslehová. Large sample tests of extreme value dependence for multivariate copulas. *The Canadian Journal of Statistics*, 39, 703–720, 2011.
- [20] S. Gronneberg and N.L. Hjort. The copula information criteria. *Scandinavian Journal of Statistics*, 2013, forthcoming.
- [21] M. Guillén, J.M. Sarabia and F. Prieto. Simple risk measure calculations for sums of positive random variables. *Insurance: Mathematics and Economics*, 53, 273–280, 2013.

- [22] M. Guillén, F. Prieto and J.M. Sarabia. Modelling losses and locating the tail with the Pareto Positive Stable distribution. *Insurance: Mathematics and Economics*, 49, 454–461, 2011.
- [23] E.J. Gumbel. Bivariate exponential distributions. *Journal of the American Statistical Association*, 55, 698–707, 1958.
- [24] J. Hüstler and R. Reiss. Maxima of normal random vectors: Between independence and complete dependence. *Statistics and Probability Letters*, 7, 283–286, 1989.
- [25] R. Kaas, J. Dhaene and M.J. Goovaert. Upper and lower bounds for sums of random variables. *Insurance: Mathematics and Economics*, 27, 151–168, 2000.
- [26] I. Kojadinovic, J. Segers and J. Yan. Large sample tests of extreme value dependence for multivariate copulas. *The Canadian Journal of Statistics*, 39, 703–720, 2011.
- [27] R.B. Nelsen. *An Introduction to Copulas*, Springer, Portland, OR, USA, 2th edition, 2006.
- [28] J.P. Nielsen, M. Guillén, C. Bolancé and J. Gustafsson. Quantitative modeling of operational risk losses when combining internal and external data sources. *Journal of Financial Transformation*, 35, 179–185, 2012.
- [29] J.F. Quessy, C. Genest and J. Neslehova. Test of symmetry for bivariate copulas. *Annals of Institute of Statistical Mathematics*, 64, 811–834, 2012.
- [30] J.J. Ren. Hadamard differentiability on  $D[0, 1]^p$ . *Journal of Multivariate Analysis*, 64, 811–834, 2012.
- [31] O. Scaillet. A Kolmogorov Smirnov type test for positive quadrant dependence. *The Canadian Journal of Statistics*, 33, 415–427, 2005.

- [32] A. Sklar. Fonctions de répartition á n dimensions et leurs marges. *Publications de l'Institut de Statistique de l'université de Paris*, 8, 229–231, 1959.
- [33] J.M. Saravia and E. Gómez-Déniz. Construction of multivariate distributions: a review of some recent results. *SORT - Statistics and Operations Research Transactions*, 32, 3–36, 2008.
- [34] A.W. Van der Vaart. *Weak convergence and empirical processes*, Springer, second edition, 2000.



2006

**CREAP2006-01**

**Matas, A.** (GEAP); **Raymond, J.Ll.** (GEAP)

"Economic development and changes in car ownership patterns"

(Juny 2006)

**CREAP2006-02**

**Trillas, F.** (IEB); **Montolio, D.** (IEB); **Duch, N.** (IEB)

"Productive efficiency and regulatory reform: The case of Vehicle Inspection Services"

(Setembre 2006)

**CREAP2006-03**

**Bel, G.** (PPRE-IREA); **Fageda, X.** (PPRE-IREA)

"Factors explaining local privatization: A meta-regression analysis"

(Octubre 2006)

**CREAP2006-04**

**Fernández-Villadangos, L.** (PPRE-IREA)

"Are two-part tariffs efficient when consumers plan ahead?: An empirical study"

(Octubre 2006)

**CREAP2006-05**

**Artís, M.** (AQR-IREA); **Ramos, R.** (AQR-IREA); **Suriñach, J.** (AQR-IREA)

"Job losses, outsourcing and relocation: Empirical evidence using microdata"

(Octubre 2006)

**CREAP2006-06**

**Alcañiz, M.** (RISC-IREA); **Costa, A.**; **Guillén, M.** (RISC-IREA); **Luna, C.**; **Rovira, C.**

"Calculation of the variance in surveys of the economic climate"

(Novembre 2006)

**CREAP2006-07**

**Albalate, D.** (PPRE-IREA)

"Lowering blood alcohol content levels to save lives: The European Experience"

(Desembre 2006)

**CREAP2006-08**

**Garrido, A.** (IEB); **Arqué, P.** (IEB)

"The choice of banking firm: Are the interest rate a significant criteria?"

(Desembre 2006)

**CREAP2006-09**

**Segarra, A.** (GRIT); **Teruel-Carrizosa, M.** (GRIT)

"Productivity growth and competition in spanish manufacturing firms:

What has happened in recent years?"

(Desembre 2006)

**CREAP2006-10**

**Andonova, V.**; **Díaz-Serrano, Luis.** (CREB)

"Political institutions and the development of telecommunications"

(Desembre 2006)

**CREAP2006-11**

**Raymond, J.L.**(GEAP); **Roig, J.L.** (GEAP)

"Capital humano: un análisis comparativo Catalunya-España"

(Desembre 2006)

**CREAP2006-12**

**Rodríguez, M.**(CREB); **Stoyanova, A.** (CREB)

"Changes in the demand for private medical insurance following a shift in tax incentives"

(Desembre 2006)

**CREAP2006-13**

**Royuela, V.** (AQR-IREA); **Lambiri, D.**; **Biagi, B.**

"Economía urbana y calidad de vida. Una revisión del estado del conocimiento en España"

(Desembre 2006)



**CREAP2006-14**

**Camarero, M.; Carrion-i-Silvestre, J.LL. (AQR-IREA); Tamarit, C.**

"New evidence of the real interest rate parity for OECD countries using panel unit root tests with breaks"  
(Desembre 2006)

**CREAP2006-15**

**Karanassou, M.; Sala, H. (GEAP); Snower, D. J.**

"The macroeconomics of the labor market: Three fundamental views"  
(Desembre 2006)

**2007**

**XREAP2007-01**

**Castany, L. (AQR-IREA); López-Bazo, E. (AQR-IREA); Moreno, R. (AQR-IREA)**

"Decomposing differences in total factor productivity across firm size"  
(Març 2007)

**XREAP2007-02**

**Raymond, J. Ll. (GEAP); Roig, J. Ll. (GEAP)**

"Una propuesta de evaluación de las externalidades de capital humano en la empresa"  
(Abril 2007)

**XREAP2007-03**

**Durán, J. M. (IEB); Esteller, A. (IEB)**

"An empirical analysis of wealth taxation: Equity vs. Tax compliance"  
(Juny 2007)

**XREAP2007-04**

**Matas, A. (GEAP); Raymond, J.Ll. (GEAP)**

"Cross-section data, disequilibrium situations and estimated coefficients: evidence from car ownership demand"  
(Juny 2007)

**XREAP2007-05**

**Jofre-Montseny, J. (IEB); Solé-Ollé, A. (IEB)**

"Tax differentials and agglomeration economies in intraregional firm location"  
(Juny 2007)

**XREAP2007-06**

**Álvarez-Albelo, C. (CREB); Hernández-Martín, R.**

"Explaining high economic growth in small tourism countries with a dynamic general equilibrium model"  
(Juliol 2007)

**XREAP2007-07**

**Duch, N. (IEB); Montolio, D. (IEB); Mediavilla, M.**

"Evaluating the impact of public subsidies on a firm's performance: a quasi-experimental approach"  
(Juliol 2007)

**XREAP2007-08**

**Segarra-Blasco, A. (GRIT)**

"Innovation sources and productivity: a quantile regression analysis"  
(Octubre 2007)

**XREAP2007-09**

**Albalade, D. (PPRE-IREA)**

"Shifting death to their Alternatives: The case of Toll Motorways"  
(Octubre 2007)

**XREAP2007-10**

**Segarra-Blasco, A. (GRIT); Garcia-Quevedo, J. (IEB); Teruel-Carrizosa, M. (GRIT)**

"Barriers to innovation and public policy in catalonia"  
(Novembre 2007)

**XREAP2007-11**

**Bel, G. (PPRE-IREA); Foote, J.**

"Comparison of recent toll road concession transactions in the United States and France"  
(Novembre 2007)



**XREAP2007-12**

**Segarra-Blasco, A.** (GRIT);

“Innovation, R&D spillovers and productivity: the role of knowledge-intensive services”  
(Novembre 2007)

**XREAP2007-13**

**Bermúdez Morata, Ll.** (RFA-IREA); **Guillén Estany, M.** (RFA-IREA), **Solé Auró, A.** (RFA-IREA)

“Impacto de la inmigración sobre la esperanza de vida en salud y en discapacidad de la población española”  
(Novembre 2007)

**XREAP2007-14**

**Calaeys, P.** (AQR-IREA); **Ramos, R.** (AQR-IREA), **Suriñach, J.** (AQR-IREA)

“Fiscal sustainability across government tiers”  
(Desembre 2007)

**XREAP2007-15**

**Sánchez Hugalbe, A.** (IEB)

“Influencia de la inmigración en la elección escolar”  
(Desembre 2007)

**2008**

**XREAP2008-01**

**Durán Weitkamp, C.** (GRIT); **Martín Bofarull, M.** (GRIT) ; **Pablo Martí, F.**

“Economic effects of road accessibility in the Pyrenees: User perspective”  
(Gener 2008)

**XREAP2008-02**

**Díaz-Serrano, L.;** **Stoyanova, A. P.** (CREB)

“The Causal Relationship between Individual’s Choice Behavior and Self-Reported Satisfaction: the Case of Residential Mobility in the EU”  
(Març 2008)

**XREAP2008-03**

**Matas, A.** (GEAP); **Raymond, J. L.** (GEAP); **Roig, J. L.** (GEAP)

“Car ownership and access to jobs in Spain”  
(Abril 2008)

**XREAP2008-04**

**Bel, G.** (PPRE-IREA) ; **Fageda, X.** (PPRE-IREA)

“Privatization and competition in the delivery of local services: An empirical examination of the dual market hypothesis”  
(Abril 2008)

**XREAP2008-05**

**Matas, A.** (GEAP); **Raymond, J. L.** (GEAP); **Roig, J. L.** (GEAP)

“Job accessibility and employment probability”  
(Maig 2008)

**XREAP2008-06**

**Basher, S. A.;** **Carrión, J. Ll.** (AQR-IREA)

Deconstructing Shocks and Persistence in OECD Real Exchange Rates  
(Juny 2008)

**XREAP2008-07**

**Sanromá, E.** (IEB); **Ramos, R.** (AQR-IREA); **Simón, H.**

Portabilidad del capital humano y asimilación de los inmigrantes. Evidencia para España  
(Juliol 2008)

**XREAP2008-08**

**Basher, S. A.;** **Carrión, J. Ll.** (AQR-IREA)

Price level convergence, purchasing power parity and multiple structural breaks: An application to US cities  
(Juliol 2008)

**XREAP2008-09**

**Bermúdez, Ll.** (RFA-IREA)

A priori ratemaking using bivariate poisson regression models  
(Juliol 2008)



**XREAP2008-10**

**Solé-Ollé, A.** (IEB), **Hortas Rico, M.** (IEB)

Does urban sprawl increase the costs of providing local public services? Evidence from Spanish municipalities  
(Novembre 2008)

**XREAP2008-11**

**Teruel-Carrizosa, M.** (GRIT), **Segarra-Blasco, A.** (GRIT)

Immigration and Firm Growth: Evidence from Spanish cities  
(Novembre 2008)

**XREAP2008-12**

**Duch-Brown, N.** (IEB), **García-Quevedo, J.** (IEB), **Montolio, D.** (IEB)

Assessing the assignation of public subsidies: Do the experts choose the most efficient R&D projects?  
(Novembre 2008)

**XREAP2008-13**

**Bilotkach, V., Fageda, X.** (PPRE-IREA), **Flores-Fillol, R.**

Scheduled service versus personal transportation: the role of distance  
(Desembre 2008)

**XREAP2008-14**

**Albalate, D.** (PPRE-IREA), **Gel, G.** (PPRE-IREA)

Tourism and urban transport: Holding demand pressure under supply constraints  
(Desembre 2008)

**2009**

**XREAP2009-01**

**Calonge, S.** (CREB); **Tejada, O.**

“A theoretical and practical study on linear reforms of dual taxes”  
(Febrer 2009)

**XREAP2009-02**

**Albalate, D.** (PPRE-IREA); **Fernández-Villadangos, L.** (PPRE-IREA)

“Exploring Determinants of Urban Motorcycle Accident Severity: The Case of Barcelona”  
(Març 2009)

**XREAP2009-03**

**Borrell, J. R.** (PPRE-IREA); **Fernández-Villadangos, L.** (PPRE-IREA)

“Assessing excess profits from different entry regulations”  
(Abril 2009)

**XREAP2009-04**

**Sanromá, E.** (IEB); **Ramos, R.** (AQR-IREA), **Simon, H.**

“Los salarios de los inmigrantes en el mercado de trabajo español. ¿Importa el origen del capital humano?”  
(Abril 2009)

**XREAP2009-05**

**Jiménez, J. L.; Perdiguero, J.** (PPRE-IREA)

“(No)competition in the Spanish retailing gasoline market: a variance filter approach”  
(Maig 2009)

**XREAP2009-06**

**Álvarez-Albelo, C. D.** (CREB), **Manresa, A.** (CREB), **Pigem-Vigo, M.** (CREB)

“International trade as the sole engine of growth for an economy”  
(Juny 2009)

**XREAP2009-07**

**Callejón, M.** (PPRE-IREA), **Ortún V, M.**

“The Black Box of Business Dynamics”  
(Setembre 2009)

**XREAP2009-08**

**Lucena, A.** (CREB)

“The antecedents and innovation consequences of organizational search: empirical evidence for Spain”  
(Octubre 2009)





**XREAP2009-09**

**Domènech Campmajó, L.** (PPRE-IREA)  
“Competition between TV Platforms”  
(Octubre 2009)

**XREAP2009-10**

**Solé-Auró, A.** (RFA-IREA), **Guillén, M.** (RFA-IREA), **Crimmins, E. M.**  
“Health care utilization among immigrants and native-born populations in 11 European countries. Results from the Survey of Health, Ageing and Retirement in Europe”  
(Octubre 2009)

**XREAP2009-11**

**Segarra, A.** (GRIT), **Teruel, M.** (GRIT)  
“Small firms, growth and financial constraints”  
(Octubre 2009)

**XREAP2009-12**

**Matas, A.** (GEAP), **Raymond, J.Ll.** (GEAP), **Ruiz, A.** (GEAP)  
“Traffic forecasts under uncertainty and capacity constraints”  
(Novembre 2009)

**XREAP2009-13**

**Sole-Ollé, A.** (IEB)  
“Inter-regional redistribution through infrastructure investment: tactical or programmatic?”  
(Novembre 2009)

**XREAP2009-14**

**Del Barrio-Castro, T.**, **García-Quevedo, J.** (IEB)  
“The determinants of university patenting: Do incentives matter?”  
(Novembre 2009)

**XREAP2009-15**

**Ramos, R.** (AQR-IREA), **Suriñach, J.** (AQR-IREA), **Artís, M.** (AQR-IREA)  
“Human capital spillovers, productivity and regional convergence in Spain”  
(Novembre 2009)

**XREAP2009-16**

**Álvarez-Albelo, C. D.** (CREB), **Hernández-Martín, R.**  
“The commons and anti-commons problems in the tourism economy”  
(Desembre 2009)

**2010**

**XREAP2010-01**

**García-López, M. A.** (GEAP)  
“The Accessibility City. When Transport Infrastructure Matters in Urban Spatial Structure”  
(Febrer 2010)

**XREAP2010-02**

**García-Quevedo, J.** (IEB), **Mas-Verdú, F.** (IEB), **Polo-Otero, J.** (IEB)  
“Which firms want PhDs? The effect of the university-industry relationship on the PhD labour market”  
(Març 2010)

**XREAP2010-03**

**Pitt, D.**, **Guillén, M.** (RFA-IREA)  
“An introduction to parametric and non-parametric models for bivariate positive insurance claim severity distributions”  
(Març 2010)

**XREAP2010-04**

**Bermúdez, Ll.** (RFA-IREA), **Karlis, D.**  
“Modelling dependence in a ratemaking procedure with multivariate Poisson regression models”  
(Abril 2010)

**XREAP2010-05**

**Di Paolo, A.** (IEB)  
“Parental education and family characteristics: educational opportunities across cohorts in Italy and Spain”  
(Maig 2010)



**XREAP2010-06**

**Simón, H.** (IEB), **Ramos, R.** (AQR-IREA), **Sanromá, E.** (IEB)

“Movilidad ocupacional de los inmigrantes en una economía de bajas cualificaciones. El caso de España”  
(Juny 2010)

**XREAP2010-07**

**Di Paolo, A.** (GEAP & IEB), **Raymond, J. Ll.** (GEAP & IEB)

“Language knowledge and earnings in Catalonia”  
(Juliol 2010)

**XREAP2010-08**

**Bolancé, C.** (RFA-IREA), **Alemany, R.** (RFA-IREA), **Guillén, M.** (RFA-IREA)

“Prediction of the economic cost of individual long-term care in the Spanish population”  
(Setembre 2010)

**XREAP2010-09**

**Di Paolo, A.** (GEAP & IEB)

“Knowledge of catalan, public/private sector choice and earnings: Evidence from a double sample selection model”  
(Setembre 2010)

**XREAP2010-10**

**Coad, A., Segarra, A.** (GRIT), **Teruel, M.** (GRIT)

“Like milk or wine: Does firm performance improve with age?”  
(Setembre 2010)

**XREAP2010-11**

**Di Paolo, A.** (GEAP & IEB), **Raymond, J. Ll.** (GEAP & IEB), **Calero, J.** (IEB)

“Exploring educational mobility in Europe”  
(Octubre 2010)

**XREAP2010-12**

**Borrell, A.** (GiM-IREA), **Fernández-Villadangos, L.** (GiM-IREA)

“Clustering or scattering: the underlying reason for regulating distance among retail outlets”  
(Desembre 2010)

**XREAP2010-13**

**Di Paolo, A.** (GEAP & IEB)

“School composition effects in Spain”  
(Desembre 2010)

**XREAP2010-14**

**Fageda, X.** (GiM-IREA), **Flores-Fillol, R.**

“Technology, Business Models and Network Structure in the Airline Industry”  
(Desembre 2010)

**XREAP2010-15**

**Albalade, D.** (GiM-IREA), **Bel, G.** (GiM-IREA), **Fageda, X.** (GiM-IREA)

“Is it Redistribution or Centralization? On the Determinants of Government Investment in Infrastructure”  
(Desembre 2010)

**XREAP2010-16**

**Oppedisano, V., Turati, G.**

“What are the causes of educational inequalities and of their evolution over time in Europe? Evidence from PISA”  
(Desembre 2010)

**XREAP2010-17**

**Canova, L., Vaglio, A.**

“Why do educated mothers matter? A model of parental help”  
(Desembre 2010)

**2011**

**XREAP2011-01**

**Fageda, X.** (GiM-IREA), **Perdiguero, J.** (GiM-IREA)

“An empirical analysis of a merger between a network and low-cost airlines”  
(Maig 2011)



**XREAP2011-02**

**Moreno-Torres, I.** (ACCO, CRES & GiM-IREA)

“What if there was a stronger pharmaceutical price competition in Spain? When regulation has a similar effect to collusion”  
(Maig 2011)

**XREAP2011-03**

**Miguélez, E.** (AQR-IREA); **Gómez-Miguélez, I.**

“Singling out individual inventors from patent data”  
(Maig 2011)

**XREAP2011-04**

**Moreno-Torres, I.** (ACCO, CRES & GiM-IREA)

“Generic drugs in Spain: price competition vs. moral hazard”  
(Maig 2011)

**XREAP2011-05**

**Nieto, S.** (AQR-IREA), **Ramos, R.** (AQR-IREA)

“¿Afecta la sobreeducación de los padres al rendimiento académico de sus hijos?”  
(Maig 2011)

**XREAP2011-06**

**Pitt, D., Guillén, M.** (RFA-IREA), **Bolancé, C.** (RFA-IREA)

“Estimation of Parametric and Nonparametric Models for Univariate Claim Severity Distributions - an approach using R”  
(Juny 2011)

**XREAP2011-07**

**Guillén, M.** (RFA-IREA), **Comas-Herrera, A.**

“How much risk is mitigated by LTC Insurance? A case study of the public system in Spain”  
(Juny 2011)

**XREAP2011-08**

**Ayuso, M.** (RFA-IREA), **Guillén, M.** (RFA-IREA), **Bolancé, C.** (RFA-IREA)

“Loss risk through fraud in car insurance”  
(Juny 2011)

**XREAP2011-09**

**Duch-Brown, N.** (IEB), **García-Quevedo, J.** (IEB), **Montolio, D.** (IEB)

“The link between public support and private R&D effort: What is the optimal subsidy?”  
(Juny 2011)

**XREAP2011-10**

**Bermúdez, Ll.** (RFA-IREA), **Karlis, D.**

“Mixture of bivariate Poisson regression models with an application to insurance”  
(Juliol 2011)

**XREAP2011-11**

**Varela-Irimia, X-L.** (GRIT)

“Age effects, unobserved characteristics and hedonic price indexes: The Spanish car market in the 1990s”  
(Agost 2011)

**XREAP2011-12**

**Bermúdez, Ll.** (RFA-IREA), **Ferri, A.** (RFA-IREA), **Guillén, M.** (RFA-IREA)

“A correlation sensitivity analysis of non-life underwriting risk in solvency capital requirement estimation”  
(Setembre 2011)

**XREAP2011-13**

**Guillén, M.** (RFA-IREA), **Pérez-Marín, A.** (RFA-IREA), **Alcañiz, M.** (RFA-IREA)

“A logistic regression approach to estimating customer profit loss due to lapses in insurance”  
(Octubre 2011)

**XREAP2011-14**

**Jiménez, J. L., Perdiguero, J.** (GiM-IREA), **García, C.**

“Evaluation of subsidies programs to sell green cars: Impact on prices, quantities and efficiency”  
(Octubre 2011)

**XREAP2011-15**

**Arespa, M.** (CREB)

“A New Open Economy Macroeconomic Model with Endogenous Portfolio Diversification and Firms Entry”  
(Octubre 2011)



**XREAP2011-16**

**Matas, A.** (GEAP), **Raymond, J. L.** (GEAP), **Roig, J.L.** (GEAP)  
“The impact of agglomeration effects and accessibility on wages”  
(Novembre 2011)

**XREAP2011-17**

**Segarra, A.** (GRIT)  
“R&D cooperation between Spanish firms and scientific partners: what is the role of tertiary education?”  
(Novembre 2011)

**XREAP2011-18**

**García-Pérez, J. I.; Hidalgo-Hidalgo, M.; Robles-Zurita, J. A.**  
“Does grade retention affect achievement? Some evidence from PISA”  
(Novembre 2011)

**XREAP2011-19**

**Arespa, M.** (CREB)  
“Macroeconomics of extensive margins: a simple model”  
(Novembre 2011)

**XREAP2011-20**

**García-Quevedo, J.** (IEB), **Pellegrino, G.** (IEB), **Vivarelli, M.**  
“The determinants of YICs’ R&D activity”  
(Desembre 2011)

**XREAP2011-21**

**González-Val, R.** (IEB), **Olmo, J.**  
“Growth in a Cross-Section of Cities: Location, Increasing Returns or Random Growth?”  
(Desembre 2011)

**XREAP2011-22**

**Gombau, V.** (GRIT), **Segarra, A.** (GRIT)  
“The Innovation and Imitation Dichotomy in Spanish firms: do absorptive capacity and the technological frontier matter?”  
(Desembre 2011)

**2012**

**XREAP2012-01**

**Borrell, J. R.** (GiM-IREA), **Jiménez, J. L.,** **García, C.**  
“Evaluating Antitrust Leniency Programs”  
(Gener 2012)

**XREAP2012-02**

**Ferri, A.** (RFA-IREA), **Guillén, M.** (RFA-IREA), **Bermúdez, Ll.** (RFA-IREA)  
“Solvency capital estimation and risk measures”  
(Gener 2012)

**XREAP2012-03**

**Ferri, A.** (RFA-IREA), **Bermúdez, Ll.** (RFA-IREA), **Guillén, M.** (RFA-IREA)  
“How to use the standard model with own data”  
(Febrer 2012)

**XREAP2012-04**

**Perdiguero, J.** (GiM-IREA), **Borrell, J.R.** (GiM-IREA)  
“Driving competition in local gasoline markets”  
(Març 2012)

**XREAP2012-05**

D’Amico, G., **Guillen, M.** (RFA-IREA), Manca, R.  
“Discrete time Non-homogeneous Semi-Markov Processes applied to Models for Disability Insurance”  
(Març 2012)

**XREAP2012-06**

**Bové-Sans, M. A.** (GRIT), Laguardo-Ramírez, R.  
“Quantitative analysis of image factors in a cultural heritage tourist destination”  
(Abril 2012)



**XREAP2012-07**

**Tello, C.** (AQR-IREA), **Ramos, R.** (AQR-IREA), **Artís, M.** (AQR-IREA)

“Changes in wage structure in Mexico going beyond the mean: An analysis of differences in distribution, 1987-2008”  
(Maig 2012)

**XREAP2012-08**

**Jofre-Monseny, J.** (IEB), **Marín-López, R.** (IEB), **Viladecans-Marsal, E.** (IEB)

“What underlies localization and urbanization economies? Evidence from the location of new firms”  
(Maig 2012)

**XREAP2012-09**

**Muñiz, I.** (GEAP), **Calatayud, D.**, **Dobaño, R.**

“Los límites de la compacidad urbana como instrumento a favor de la sostenibilidad. La hipótesis de la compensación en Barcelona medida a través de la huella ecológica de la movilidad y la vivienda”  
(Maig 2012)

**XREAP2012-10**

**Arqué-Castells, P.** (GEAP), **Mohnen, P.**

“Sunk costs, extensive R&D subsidies and permanent inducement effects”  
(Maig 2012)

**XREAP2012-11**

**Boj, E.** (CREB), **Delicado, P.**, **Fortiana, J.**, **Esteve, A.**, **Caballé, A.**

“Local Distance-Based Generalized Linear Models using the dbstats package for R”  
(Maig 2012)

**XREAP2012-12**

**Royuela, V.** (AQR-IREA)

“What about people in European Regional Science?”  
(Maig 2012)

**XREAP2012-13**

**Osorio A. M.** (RFA-IREA), **Bolancé, C.** (RFA-IREA), **Madise, N.**

“Intermediary and structural determinants of early childhood health in Colombia: exploring the role of communities”  
(Juny 2012)

**XREAP2012-14**

**Miguelé, E.** (AQR-IREA), **Moreno, R.** (AQR-IREA)

“Do labour mobility and networks foster geographical knowledge diffusion? The case of European regions”  
(Juliol 2012)

**XREAP2012-15**

**Teixidó-Figueras, J.** (GRIT), **Duró, J. A.** (GRIT)

“Ecological Footprint Inequality: A methodological review and some results”  
(Setembre 2012)

**XREAP2012-16**

**Varela-Irimia, X-L.** (GRIT)

“Profitability, uncertainty and multi-product firm product proliferation: The Spanish car industry”  
(Setembre 2012)

**XREAP2012-17**

**Duró, J. A.** (GRIT), **Teixidó-Figueras, J.** (GRIT)

“Ecological Footprint Inequality across countries: the role of environment intensity, income and interaction effects”  
(Octubre 2012)

**XREAP2012-18**

**Manresa, A.** (CREB), **Sancho, F.**

“Leontief versus Ghosh: two faces of the same coin”  
(Octubre 2012)

**XREAP2012-19**

**Aleman, R.** (RFA-IREA), **Bolancé, C.** (RFA-IREA), **Guillén, M.** (RFA-IREA)

“Nonparametric estimation of Value-at-Risk”  
(Octubre 2012)



**XREAP2012-20**

**Herrera-Idárraga, P.** (AQR-IREA), **López-Bazo, E.** (AQR-IREA), **Motellón, E.** (AQR-IREA)

“Informality and overeducation in the labor market of a developing country”  
(Novembre 2012)

**XREAP2012-21**

**Di Paolo, A.** (AQR-IREA)

“(Endogenous) occupational choices and job satisfaction among recent PhD recipients: evidence from Catalonia”  
(Desembre 2012)

**2013**

**XREAP2013-01**

**Segarra, A.** (GRIT), **García-Quevedo, J.** (IEB), **Teruel, M.** (GRIT)

“Financial constraints and the failure of innovation projects”  
(Març 2013)

**XREAP2013-02**

**Osorio, A. M.** (RFA-IREA), **Bolancé, C.** (RFA-IREA), **Madise, N.**, **Rathmann, K.**

“Social Determinants of Child Health in Colombia: Can Community Education Moderate the Effect of Family Characteristics?”  
(Març 2013)

**XREAP2013-03**

**Teixidó-Figueras, J.** (GRIT), **Duró, J. A.** (GRIT)

“The building blocks of international ecological footprint inequality: a regression-based decomposition”  
(Abril 2013)

**XREAP2013-04**

**Salcedo-Sanz, S.**, **Carro-Calvo, L.**, **Claramunt, M.** (CREB), **Castañer, A.** (CREB), **Marmol, M.** (CREB)

“An Analysis of Black-box Optimization Problems in Reinsurance: Evolutionary-based Approaches”  
(Maig 2013)

**XREAP2013-05**

**Alcañiz, M.** (RFA), **Guillén, M.** (RFA), **Sánchez-Moscona, D.** (RFA), **Santolino, M.** (RFA), **Llatje, O.**, **Ramon, Ll.**

“Prevalence of alcohol-impaired drivers based on random breath tests in a roadside survey”  
(Juliol 2013)

**XREAP2013-06**

**Matas, A.** (GEAP & IEB), **Raymond, J. Ll.** (GEAP & IEB), **Roig, J. L.** (GEAP)

“How market access shapes human capital investment in a peripheral country”  
(Octubre 2013)

**XREAP2013-07**

**Di Paolo, A.** (AQR-IREA), **Tansel, A.**

“Returns to Foreign Language Skills in a Developing Country: The Case of Turkey”  
(Novembre 2013)

**XREAP2013-08**

**Fernández Gual, V.** (GRIT), **Segarra, A.** (GRIT)

“The Impact of Cooperation on R&D, Innovation and Productivity: an Analysis of Spanish Manufacturing and Services Firms”  
(Novembre 2013)

**XREAP2013-09**

**Bahraoui, Z.** (RFA); **Bolancé, C.** (RFA); **Pérez-Marín, A. M.** (RFA)

“Testing extreme value copulas to estimate the quantile”  
(Novembre 2013)



[xarxa.xreap@gmail.com](mailto:xarxa.xreap@gmail.com)